




























Prijslijst
per 1 juli 2010

Portablesound

Milan series self-powered — colour dark blue				
	MI5	Digitally self-powered 2-way 15" LF, 1" HF, jack/XLR, IEC mains Max SPL 131dB Peak, 23Hz-22kHz ±10dB, 90°x60°V 720mmH x 470mmW x 400mmD, 22kg	15F6205 (Eu) 15F6206 (US)	1.258,40 -
	MI8	Self-powered bandpass subwoofer, 1 x 18" Max SPL 130dB peak, 35Hz - 125Hz ±10dB XLR, 836mmH x 7469mmW x 440mmD, 40kg	15F6210	1.730,30 - -
TXP series self-powered — colour black				
	TXP-121	Digitally self-powered 2-way 12" LF, 1" HF, XLR Max SPL 128dB Peak, 50Hz-20kHz ±10dB, 70°x40°V 553mmH x 412mmW x 352.5mmD, 22kg	15F4985	1.415,70 - -
	TXP-118	Digitally self-powered 18" subwoofer Max SPL 129dB Peak, 38Hz-125Hz ±10dB 652mmH x 540mmW x 503mmD, 28.1kg	15F4995	1.494,35 - -
Compact series — colour black, white or custom colour, IP54				
	TCX-8	Two-way passive wide dispersion, 1 x 8" LF, 1 x 1" HF on CEW Max SPL 123dB peak, 70Hz - 20kHz ±10dB, 90°h x 60°v , 400w prgm 2 x NL4 and barrier strip, 408mmH x 312mmW x 280mmD, 9.5kg	15F0530	582,01 - -
	TCX-10	Two-way passive wide dispersion, 1 x 10" LF, 1 x 1" HF on CEW Max SPL 125dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v , 500w prgm 2 x NL4 and barrier strip, 488mmH x 370mmW x 332mmD, 13.5kg	15F0535	786,50 - -
	TCX-12	Two-way passive wide dispersion, 1 x 12" LF, 1 x 1" HF on CEW Max SPL 128dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v , 600w prgm 2 x NL4 and barrier strip, 552mmH x 410mmW x 368mmD, 19.5kg	15F0540	865,15 - -
	TCX-15	Two-way passive wide dispersion, 1 x 15" LF, 1 x 1" HF on CEW Max SPL 131dB peak, 55Hz - 20kHz ±10dB, 90°h x 60°v , 800w prgm 2 x NL4 and barrier strip, 652mmH x 470mmW x 422mmD, 24.5kg	15F0545	1.022,45 - -
	TCX-15B	Bandpass 1 x 15" bass enclosure Max SPL 131dB peak, 35Hz - 125Hz ±10dB, 2000w prgm 2 x NL4 and barrier strip, 600mmH x 500mmW x 600mmD, 35.5kg	15F0550	1.179,75 - -
	TCX-18B	Bandpass 1 x 18" bass enclosure Max SPL 130dB peak, 35Hz - 125Hz ±10dB, 2000w prgm 2 x NL4 and barrier strip, 838mmH x 469mmW x 440mmD, 35.5kg	15D0555	- - -
TXD series — colour black				
	TXD-252	Bi-Amped/Passive 2-way 2x15" LF, 1.5" HF, NL4 2000 W pgm, Max SPL 133dB Peak, 44Hz-17kHz, 80°x50°V rotatable 1220mmH x 540mmW x 434mmD, 49kg	15F4870BLK	1.887,60 - -
	TXD-12M	Passive 2-way 12" LF, 1" HF, NL4 600W pgm, Max SPL 128dB Peak, 65Hz-20kHz, 40°x70°V 435mmH x 553mmW x 288mmD, 18kg	15F4850BLK	865,15 - -
	TXD-15M	Bi-Amped/Passive 2-way 15" LF, 1.5" HF, NL4 600W pgm, Max SPL 130dB Peak, 65Hz-18kHz, 40°x60°V 652mmH x 547mmW x 363mmD, 30kg	15F4890BLK	1.415,70 - -
Brackets and Hardware				
	WB-20	Wall Bracket for TXD-081 and TXD-121	07B810	103,82
	WB-55	Wall Bracket for TXD-151	07B820	122,69
	CB-55	Ceiling Bracket for TXD-081, TXD-121 and TXD-151	07B840	130,56
	PB-55	Wall Bracket for pole holder mounting suitable for: TXD-081, TXD-121 and TXD-151	07B830	122,69
	EB-10/18	M10x18mm Eyebolt	07B392	22,02
	EB-10/40	M10x40mm Eyebolt	07B393	36,18
	PA-60	60cm Speaker Pole	07B508/0.6	44,04
	PA-90	90cm Speaker Pole	07B508	47,19
	PA-100	100cm Speaker Pole	07B508/1.0	48,76
	PA-120	120cm Speaker Pole	07B508/1.2	51,91



















Livesound				-
NuQ™ series — colour black or optional white				-
	NuQ-6	Passive 2-way 6.5" LF, 1" HF, NL4 350mmH x 190mmW x 210mmD	White	15F0790BLK 1.022,45 1.124,70
	NuQ-8	Passive 2-way 8" LF, 1" HF, NL4 464mmH x 272mmW x 220mmD, 9.5kg	White	15F0800BLK 1.219,08 1.341,77
	NuQ-10	Passive 2-way 10" LF, 1" HF, NL4 525mmH x 318mmW x 258mmD, 12kg	White	15F0810BLK 1.683,11 1.851,42
	NuQ-12	Passive/Active Switchable 2-way 12" LF, 1.4" HF, NL4 655mmH x 373mmW x 340mmD, 20kg	White	15F0820BLK 2.202,20 2.422,42
	NuQ-15	Passive/Active Switchable 2-way 15" LF, 1.4" HF, NL4 712mmH x 430mmW x 385mmD, 26kg	White	15F0830BLK 2.595,45 2.855,00
	B-15	15" Subwoofer, 1x15", NL4 464mmH x 574mmW x 620mmD, 36.5kg	White	15F0840BLK 1.887,60 2.076,36
	B-18	18" Bandpass Subwoofer, 1x18", NL4 768mmH x 574mmW x 700mmD, 65kg	White	15F0850BLK 2.792,08 3.072,07
	T4-Wheels	Optional wheel kit for B15/B18		07G792 102,25
NuQ-DP™ series — colour black or optional white				-
	NuQ-8DP	Digitally Self-Powered 2-way 8" LF, 1" HF, XLR, Powercon Max SPL 124dB Peak, 60Hz-20kHz, 100Hx60V rotatable 464mmH x 272mmW x 252mmD, 13kg	White	15F0800DPB 2.792,08 2.932,07
	NuQ-10DP	Digitally Self-Powered 2-way 10" LF, 1" HF, XLR, Powercon Max SPL 127dB Peak, 55Hz-20kHz, 100Hx60V rotatable 525mmH x 318mmW x 281mmD, 15.5kg	White	15F0810DPB 3.256,11 3.419,70
	NuQ-12DP	Digitally Self-Powered 2-way 12" LF, 1.4" HF, XLR, Powercon Max SPL 133dB Peak, 55Hz-20kHz, 80Hx50V rotatable 655mmH x 373mmW x 340mmD, 23kg	White	15F0820DPB 4.325,75 4.542,82
	NuQ-15DP	Digitally Self-Powered 2-way 15" LF, 1.4" HF, XLR, Powercon Max SPL 135dB Peak, 50Hz-20kHz, 80Hx50V rotatable 712mmH x 430mmW x 385mmD, 29kg	White	15F0830DPB 4.719,00 4.954,95
	B-12DP	Digitally Self-Powered 12" Subwoofer, 1x12", XLR, Powercon, NL4 Integrated 2 x 1250 watt amplifier drives subwoofer and NuQ satellites Max SPL 127dB Peak, 30Hz-125Hz 360mmH x 462mmW x 490mmD, 27kg	White	15F0835DPB 3.696,55 3.882,16
	B-15DP	Digitally Self-Powered 15" Subwoofer, 1x15", XLR, Powercon Max SPL 132dB Peak, 45Hz-120Hz 464mmH x 574mmW x 620mmD, 39kg	White	15F0840DPB 4.011,15 4.212,49
	B-18DP	Digitally Self-Powered 18" Subwoofer, 1x18", XLR, Powercon Max SPL 136dB Peak, 40Hz-150Hz 768mmH x 574mmW x 700mmD, 67.5kg	White	15F0850DPB 4.915,63 5.162,59
	T4-Wheels	Optional wheel kit for B15/B18DP		07G792 102,25
NuQ™ Series Accessories				-
Flying Yokes—Pole Holders and Clamps optional				-
	NuQ-FY6	Flying yoke for NuQ-6		07G0390 73,46
	NuQ-FY8	Flying Yoke for NuQ-8 and NuQ-8DP		07B888 294,15
	NuQ-FY10	Flying Yoke for NuQ-10 and NuQ-10DP		07B892 311,45
	NuQ-FY12	Flying Yoke for NuQ-12 and NuQ-12DP		07B896 327,18
	NuQ-FY15	Flying Yoke for NuQ-15 and NuQ-15DP		07B898 379,09
	FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets		07B854 88,09
	NuQ-TB	T-Bar to attach two FY-NuQ8 yokes on one pole or clamp		07B878 51,91
	SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets		07B856 62,92
Swivel Brackets—Pole Holders and Clamps optional				-
	NuQ-SB6	Swivel / U-Bracket for NuQ-6		07G0380 138,03
	NuQ-SB8	Swivel / U-Bracket for NuQ-8 and NuQ-8DP		07G090 113,26
	NuQ-SBE8	Extension Bracket for NuQ-8 and NuQ-8DP		07G080 51,91
	NuQ-SB10	Swivel / U-Bracket for NuQ-10 and NuQ-10DP		07G092 113,26
	NuQ-SBE10	Extension Bracket for NuQ-10 and NuQ-10DP		07G085 51,91
	FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets		07B854 88,09
	SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets		07B856 62,92
Wall and Ceiling Brackets				-

		<u>Stock code</u>	<u>Belgian tax</u> <u>included</u>
	WB-20B Wall Bracket for NuQ-8 and NuQ-10	07B880	103,82
	WB-55B Wall Bracket for NuQ-12 and NuQ-15	07B884	130,56
	PB-55 Wall Bracket for pole holder mounting suitable for: NuQ-8DP, NuQ-10DP, NuQ-12DP and NuQ-15DP	07B830	122,69
	EB-10/40 M10x40mm Eyebolt (sold singly)	07B393	36,18

Flex Array series — colour black				
	TFA-600H	Three-way bi-amped/tri-amped, 2 x 10" LF, 6.5" MF, 50mm HF 1200W pgm LMF, 240W pgm MF, 120W pgm HF Max SPL 138dB Peak, 80Hz-18kHz, 75" x 16" NL8, Integrated Flyware 710mmH x 304mmW x 560mmD, 41kg	15F0300	5.615,61 - - -
	TFA-600HW	Three-way bi-amped wide dispersion, 2 x 10" LF, 6.5" MF, 50mm HF 1200W pgm LMF, 240W pgm MF, 120W pgm HF Max SPL 138dB Peak, 80Hz-18kHz, 75" x 16" NL8, Integrated Flyware 710mmH x 304mmW x 560mmD, 41kg	15F0330	5.615,61 - - -
	TFA-600L	Horn-loaded 1 x 18" bass enclosure 1600W Pgm, Max SPL 139dB Peak, 38Hz - 150Hz 710mmH x 574mmW x 560mmD Integrated Flyware, complete with heavy duty wheels	15F0310	4.719,00 - -
	TFA-600B	Horn-loaded 1 x 18" bass enclosure, for ground stacking only 1600W Pgm, Max SPL 139dB Peak, 38Hz - 150Hz 710mmH x 574mmW x 560mmD, 65kg Complete with heavy duty wheels	15F0320	3.617,90 - -
	TFA-600HDF	Self-powered three-way bi-amped, 2 x 10" LF, 6.5" MF, 50mm HF Max SPL 138dB Peak, 80Hz-18kHz, 75" x 16" Integrated Flyware 710mmH x 304mmW x 560mmD, 43kg	15F0300DP	7.865,00 - -
	TFA-600HWI	Self-powered three-way bi-amped wide dispersion, 2 x 10" LF, 6.5" MF, 50mm HF Max SPL 138dB Peak, 80Hz-18kHz, 75" x 16" Integrated Flyware 710mmH x 304mmW x 560mmD, 43kg	15F0330DP	7.865,00 - -
	TFA-600LDF	Self-powered horn-loaded 1x18" bass enclosure Max SPL 139dB Peak, 38Hz - 150Hz 710mmH x 574mmW x 560mmD Integrated Flyware, complete with heavy duty wheels	15F0310DP	6.921,20 - -
	TFA-600BDF	Self-powered horn-loaded 1 x 18" bass enclosure, for ground stacking only Max SPL 139dB Peak, 38Hz - 150Hz 710mmH x 574mmW x 560mmD Integrated Flyware, complete with heavy duty wheels	15F0320DP	5.820,10 - -
		To convert 75° dispersion to 100°, includes drivers passive xover and rear panel	15K0020	
	TFA-600H to TFA- 600HW conversion			1.571,43
		To convert 75° dispersion to 100°, includes drivers passive xover and DSP upgrade	15K0025	
	TFA- 600HDP to TFA- 600HWDP conversion			1.571,43
Flex Array Flying Hardware				
	FB-600	Flybar with screw adjustment	07B1070	4.377,66
	FK-600i	Install flying kit	07B1075	292,58
	CF-600	Conversion frame	07B1060	1.651,65
	FT-600/3	Transport flightcase 3-up	15F0315	2.475,90
	TS-880/890	Tilt strap double ratchet	07E056	95,95
	FY-600	Flying yoke	07B1080	350,78
	FYPH	Pole adapter	07B854	88,09
	SCLAMP	Scaffold clamp	07B856	62,92
Aspect Wide — colour black				
	TA-500t	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50" x 25" NL8, Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 57kg	15F0190	6.685,25 - - -
	TA-500tDP	Self-powered bi-amped TA-500t Max SPL 141dB Peak, 60Hz-18kHz, 50" x 25" Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 59kg	15F0195	8.651,50 - -
Aspect TA-500 Series Touring Hardware				
	FB-500T/2W	Touring Flybar, 2-wide	07B1030	2.405,12
	FB-500T/3W	Touring Flybar, 2-wide	07B1035	3.142,85
	FC-500T L	Flying chain long	07B065	327,18
	FC-500T ST	Flying chain standard	07B060	327,18
	ICL-500	Inter-cabinet link	07B055	163,59

TS-890 Tilt strap
CB-8003 2-leg chain bridle

07E056 95,95
07B984 386,96

TSW series Horn-loaded Subwoofers — colour black			
	TSW-218	Subwoofer, 2x18" neodymium, NL4 3200W Pgm, Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 110kg Complete with Heavy Duty Wheels	15F0440 5.592,02 - -
	TSW-218DP	Self-powered TSW-218 Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 113kg Complete with Heavy Duty Wheels	15F0440DP 7.794,22 - -
Aspect series Touring — colour black			
	TA-890H	Tri-amped, 2x10" LMF, 1x10" HMF, 2x50mm HF 1000W pgm LMF, 400W pgm HMF, 200W pgm HF Max SPL 146dB Peak, 95Hz-20kHz, 25Hx15V Integral Flyware, NL8, Wheelboard Included 795mmH x 477mmW x 574mmD, 76kg	15F0100 11.011,00 - -
	TA-890L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz Integral Flyware, NL4, Wheelboard Included 795mmH x 477mmW x 574mmD, 68kg	15F0120 7.078,50 - -
	TA-500HM	Two-way downfill, bi-amp or passive, MF 1x10", HF 1x50mm 400W pgm MF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50Hx25V, NL8, optional flyware 551mmH x 574mmW x 498mmD, 37kg	15F0175 3.617,90 - -
Aspect series Touring Hardware			
	FB-890/1AL	Touring Flybar - 1 Wide A-System Single Pickup Point, left (sold in pairs with right)	07B910 1.193,91
	FB-890/1AR	Touring Flybar - 1 Wide A-System Single Pickup Point, right (sold in pairs with left)	07B915 1.193,91
	FB-890/2A	Touring Flybar - 2 Wide A-System Bridle Pickup Points	07B920 3.866,43
	FB-890/3A	Touring Flybar - 3 Wide A-System Single Pickup Point	07B930 5.145,28
	FB-890/2B	Touring Flybar - 2 Wide B-System Bridle Pickup Points	07B925 3.179,03
	FB-890/3B	Touring Flybar - 3 Wide B-System Single Pickup Point	07B933 3.693,40
	FB-890MB	Touring Flybar - Motherbeam to connect 2x FB-8902A/FB-8901A	07B935 6.441,44
	FB-890MBE	Motherbeam Extender to connect FB-8901A to a half MB-890	07B940 2.568,71
	FB-890UH	Flybar for TA-500HM downfill	07E044 931,22
	CB-8001	3 leg chain bridle for MB-890 Motherbeam and FB-890/3A	07B980 475,05
	CB-8002	2 leg chain bridle for FB-890/2A and FB-890/3B	07B982 386,96
	CB-8003	2 leg chain bridle for FB-890/2B	07B984 386,96
	FC-890A	A-System choked flying chain	07E050 396,40
	FC-890B	B-System choked flying chain	07E052 327,18
	FC-890BL	B-System inter-cabinet links	07E054 163,59
	TS-880/890	Double Action Tilt Strap for TA-880/890 Array	07E056 95,95
	FT-8902A	Flytrunk for 1 x FB-890/2A, 1x FB-890/1A, 1/2x MB890 Motherbeam	15F0200 4.544,40 -
	WB-890	Single Cabinet wheel board	15F0124 508,08
	WB-890/4	3 or 4 tall wheel board	15F0126 1.505,36
TFM series — colour black			
	TFM-420	Bi-amped 2-way Monitor, neo 12" LF, neo 1.5" HF, NL4 LF 600W HF 200W pgm, Max SPL 136dB Peak, 90Hz-16kHz, 40Hx60V 329mmH x 614mmW x 384mmD, 25,2kg	15F3250NL4 4.325,75 -
	TFM-450	Bi-amped 2-way Monitor, Neo 15" LF, neo 1.5" HF, Speakon LF 800 W HF 200W pgm, Max SPL 136dB Peak, 60Hz-16kHz, 40Hx60V 401mmH x 711mmW x 475mmD, 32kg	15F3260NL4 4.719,00 -
Electronics			
	LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	16F890 1.802,66
	LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	16F891 2.318,60
	BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	16F0005 386,96
	BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	16F0010 234,38
	BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	16F0015 163,59
	T-25	Turbosound 2x1250W into 4 ohm switchmode power amplifier	16F921 3.326,90
	T-475	Turbosound 4x750W into 4 or 8 ohm switchmode power amplifier	16F925 4.085,08
	T-45	Turbosound 2250W into 4 or 8 ohm switchmode power amplifier	16F923 4.627,77
	T-90	Turbosound 2x4500W into 4 ohm switchmode power amplifier	16F960 6.016,73
	RACK-DP50	4 x 1250w @ 2Ω or 2 x 2500w @ 4Ω with 96kHz DSP and TurboDrive	16F600 4.247,10

Installed sound			
Ceiling Speakers — colour white (finish ready for painting)			
	TCS-C50T	Passive 2-way 5" LF, HF Tweeter, Screw Terminal Phoenix 150W pgm, Max SPL 116dB Peak, 75Hz-22kHz, 180°Hx180°V 268mm Diameter x 219mm Deep inc. backbox, 3.4kg 16ohm, 15W, 30W, 60W taps on switch	15F6030 180,90
	TCS-C50TB	Tile Bridge for TCS-C50T	07B875 26,74
Impact series — colour black or white			
	Impact 35	Passive 2-way 3.5" LF, HF Tweeter 80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V 242mmH x 145mmW x 148mmD, 2.2kg Includes WB-5 Wall Bracket	15F8410 125,84
	Impact 35T	Passive 2-way 3.5" LF, HF Tweeter, 70/100V line transformer 80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V 242mmH x 145mmW x 148mmD, 2.2kg Includes WB-5 Wall Bracket	15F8420 157,30
	Impact 55T	Passive 2-way 5" LF, HF Tweeter, 70/100V line transformer 160W pgm, Max SPL 115dB Peak, 64Hz-20kHz ±10dB, 100°Hx70°V 300mmH x 164mmW x 158mmD, 3.5kg Includes WB-5 Wall Bracket	15F8460 180,90
	Impact 65T	Passive 2-way 2 x 5" LF, HF Tweeter, 70/100V line transformer 240W pgm, Max SPL 117dB Peak, 43Hz-20kHz ±10dB, 100°Hx70°V 450mmH x 164mmW x 158mmD, 5kg Includes WB-5 Wall Bracket	15F8490 298,87
Wall and Ceiling Brackets			
	WB-5	Wall Bracket (with integral electrical connections) black	07B595BLK 59,77
		White	07B595WHT 59,77
	WB-10	Wall Bracket	07B800 62,92
	CB-10	Ceiling Bracket	07B801 122,69
TSB series Bandpass Subwoofers — colour black or optional white			
	TSB-110	Bandpass Subwoofer, 10" LF dual voice coil, push terminals 600W pgm, Max SPL 126dB Peak, 45Hz-180Hz 330mmH x 585mmW x 330mmD, 16.5kg	15F4700 638,64
	TSB-212	Bandpass Subwoofer, 2x 12", NL4 1600W Pgm, Max SPL 138dB Peak, 38Hz-200Hz 420mmHx1000mmWx470mmD, 47kg	15F4710 1.709,85
Compact series — colour black, white or custom colour, IP54			
	TCX-8	Two-way passive wide dispersion, 1 x 8" LF, 1 x 1" HF on CEW Max SPL 123dB peak, 70Hz - 20kHz ±10dB, 90°h x 60°v , 400w prgm 2 x NL4 and barrier strip, 408mmH x 312mmW x 280mmD, 9.5kg	15F0530 582,01
	TCX-10	Two-way passive wide dispersion, 1 x 10" LF, 1 x 1" HF on CEW Max SPL 125dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v , 500w prgm 2 x NL4 and barrier strip, 488mmH x 370mmW x 332mmD, 13.5kg	15F0535 786,50
	TCX-12	Two-way passive wide dispersion, 1 x 12" LF, 1 x 1" HF on CEW Max SPL 128dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v , 600w prgm 2 x NL4 and barrier strip, 552mmH x 410mmW x 368mmD, 19.5kg	15F0540 865,15
	TCX-15	Two-way passive wide dispersion, 1 x 15" LF, 1 x 1" HF on CEW Max SPL 131dB peak, 55Hz - 20kHz ±10dB, 90°h x 60°v , 800w prgm 2 x NL4 and barrier strip, 652mmH x 470mmW x 422mmD, 24.5kg	15F0545 1.022,45
	TCX-15B	Bandpass 1 x 15" bass enclosure Max SPL 131dB peak, 35Hz - 125Hz ±10dB, 2000w prgm 2 x NL4 and barrier strip, 600mmH x 500mmW x 600mmD, 35.5kg	15F0550 1.179,75
	TCX-18B	Bandpass 1 x 18" bass enclosure Max SPL 130dB peak, 35Hz - 125Hz ±10dB, 2000w prgm 2 x NL4 and barrier strip, 838mmH x 469mmW x 440mmD, 35.5kg	15F0555

Contracting series — colour black, white, custom colour, IP54			
	TCS-61	Passive 2-way 6.5" LF, 1" HF, NL4/terminal strip 350w pgm, max SPL 116dB peak, 50Hz-20kHz ±10dB, 100h x 60v 238mmH x 414mmW x 190mmD, 6kg	15F0230 967,40
	TCS-122/96	Switchable active/passive 2-way 12" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90h x 60v 803mmH x 414mmW x 419mmD, 28.5kg	15F0210 1.808,95
	TCS-122/64	Switchable active/passive 2-way 12" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 60h x 40v 803mmH x 414mmW x 419mmD, 28.5kg	15F0216 1.808,95
	TCS-122/94	Switchable active/passive 2-way 12" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90h x 40v 803mmH x 414mmW x 419mmD, 28.5kg	15F0213 1.808,95
	TCS-152/96	Switchable active/passive 2-way, 15" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90h x 60v 836mmH x 469mmW x 433mmD, 35kg	15F0220 2.123,55
	TCS-152/64	Switchable active/passive 2-way, 15" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 60h x 40v 836mmH x 469mmW x 433mmD, 35kg	15F0226 2.123,55
	TCS-152/94	Switchable active/passive 2-way, 15" LF, 1.4" HF, NL4/terminal strip 1000w pgm, max SPL 128dB peak, 50Hz-20kHz ±10dB, 90h x 40v 836mmH x 469mmW x 433mmD, 35kg	15F0223 2.123,55
	TCS-1561/74	Switchable bi-amp/tri-amp 3-way, 15" LF, 6.5" MF, 1" HF, NL4/terminal strip LF 1000w, MF 200w, HF 100w pgm, max SPL 134dB peak 40Hz-20kHz ±10dB, 70h x 40v 979mmH x 543mmW x 467mmD, 44.5kg	15F0240 2.910,05
	TCS-B15A	Subwoofer to array with TCS-122, 15" LF, NL4/terminal strip 1000w pgm, max SPL 133dB peak, 30Hz-200Hz ±10dB 803mmH x 428mmW x 500mmD, 35kg	15F0250 1.573,00
	TCS-B15B	Subwoofer to array with TCS-152, 15" LF, NL4/terminal strip 1000w pgm, max SPL 133dB peak, 30Hz-200Hz ±10dB 836mmH x 469mmW x 440mmD, 36kg	15F0260 1.573,00
	TCS-B218	Subwoofer, 2 x 18" LF, NL4/terminal strip 2400w pgm, max SPL 142dB peak, 20Hz-214Hz ±10dB 710mmH x 1130mmW x 730mmD, 97kg	15F0270 3.146,00
TCS DP series self-powered — colour black or white			
	TCS-122/96I	Digitally self-powered 2-way 12" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz±10dB, 90h x 60v 803mmH x 414mmW x 419mmD, 30kg	15F0210DP 3.381,95
	TCS-122/64I	Digitally self-powered 2-way 12" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz±10dB, 60h x 40v 803mmH x 414mmW x 419mmD, 30kg	15F0216DP 3.381,95
	TCS-122/94I	Digitally self-powered 2-way 12" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz±10dB, 90hx40v 803mmH x 414mmW x 419mmD, 30kg	15F0213DP 3.381,95
	TCS-152/96I	Digitally self-powered 2-way, 15" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz±10dB, 90h x 60v 836mmH x 469mmW x 433mmD, 37kg	15F0220DP 4.325,75
	TCS-152/64I	Digitally self-powered 2-way, 15" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz±10dB, 60hx40v 836mmH x 469mmW x 433mmD, 37kg	15F0226DP 4.325,75
	TCS-152/94I	Digitally self-powered 2-way, 15" LF, 1.4" HF, XLR/Powercon/RJ45 max SPL 128dB peak, 50Hz-20kHz±10dB, 90hx40v 836mmH x 469mmW x 433mmD, 37kg	15F0223DP 4.325,75
	TCS-1561/74I	Digitally self-powered 3-way, 15" LF, 6.5" MF, 1" HF, XLR/Powercon/RJ45 max SPL 134dB peak, 40Hz-20kHz±10dB, 70h x 40v 979mmH x 543mmW x 467mmD, 46.5kg	15F0240DP 5.112,25
	TCS-B15ADI	Digitally self-powered sub to array with TCS-122, 15" LF, XLR/Powercon/RJ45 max SPL 133dB peak, 30Hz-200Hz ±10dB 803mmH x 428mmW x 500mmD, 37kg	15F0250DP 3.144,43
	TCS-B15BDI	Digitally self-powered sub to array with TCS-152, 15" LF, XLR/Powercon/RJ45 max SPL 133dB peak, 30Hz-200Hz ±10dB 836mmH x 469mmW x 440mmD, 38kg	15F0260DP 3.144,43
	TCS-B218DI	Digitally self-powered sub, 2 x 18" LF, XLR/Powercon/RJ45 max SPL 142dB peak, 20Hz-214Hz ±10dB 710mmH x 1130mmW x 730mmD, 99kg	15F0270DP 5.503,93
Rigging hardware			
	SB-61	Swivel bracket for TCS-61	07G0375 117,98
	ICC-61	Inter-cabinet couplers for TCS-61 and TCS-122	07G0370 188,76
	ICC-2V	Kit of two inter-cabinet couplers to fly TCS-122 or TCS-152 vertically	07G0330 91,23
	FP-1	Kit of two flyplates to fly TCS-122 or TCS-152	07G0335 180,90
	FP-2	Kit of two flyplates to fly TCS-B15A or TCS-B15B	07G0340 188,76
	ICC-2H	Kit of two inter-cabinet couplers to fly TCS-122 horizontally	07G0345 91,23
	ICC-3H	Kit of two inter-cabinet couplers to fly TCS-152 horizontally	07G0350 91,23
	ICC-4H	Kit of two inter-cabinet couplers to fly TCS-B15A or TCS-B15B	07G0355 91,23
	ICC-5H	Kit of two inter-cabinet couplers to fly TCS-152 with TCS-B15B	07G0360 91,23
	ICC-6H	Kit of two inter-cabinet couplers to fly TCS-122 with TCS-B15A	07G0365 91,23
Wall and ceiling brackets			
	WB-20	Wall Bracket for TCS-61	07B810 103,82
	WB-55	Wall Bracket for TCS-122 and TCS-152	07B820 122,69
	CB-55	Ceiling Bracket for TCS-61, TCS-122 and TCS-152	07B840 130,56

Aspect TA-500 series — colour black				-
	TA-500	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 52kg	15F0180	4.825,96 - - -
	TA-500DP	Self-powered bi-amped TA-500 Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 54kg	15F0180DP	7.001,42 - -
	TA-500H	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V, NL8, opt ional flyware 551mmH x 983mmW x 498mmD, 52kg	15F0185BLK	4.825,96 - -
	TA-500HDP	Self-Powered TA-500H Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V 551mmH x 983mmW x 498mmD, 54kg, optional flyware	15F0185DP	7.001,42 -
	TA-500HM	Two-way downfill, bi-amp or passive, MF 1 x 10", HF 1 x 50mm 400W pgm MF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50°Hx25°V, NL8, op tional flyware 551mmH x 574mmW x 498mmD, 37kg	15F0175	3.460,60 - -
	AMP-500DP	TA-500 Amp module - retrofit to non-powered TA-500	15F0180DP/I	2.177,03
Aspect TA-500 series Install Hardware				-
	FK-500/1T	Top row kit to suspend one column of TA-500	07B1010	363,36
	FK-500/1H	Hinge kit for one wide TA-500 array	07B1015	2.320,18
	FK-500/2T	Top row kit for 2-wide TA-500 arrays	07B1000	720,43
	FK-500/2H	Hinge kit for 2-wide TA-500 arrays	07B1020	2.405,12
	FK-500/3T	Top row kit for 3-wide TA-500 arrays	07B1005	706,28
	FK-500/3H	Hinge kit for 3-wide TA-500 arrays	07B1025	2.405,12
	EB-10/40	M10x40mm Eyebolt	07B393	36,18
	WB-TA500	Wheelboard for TA-500 and TA-500t Aspect Wide Cabinets	15F0182	508,08
	WB-TA500H	Wheelboard for TA-500HM Aspect Wide Cabinets	15F0177	459,32
Aspect series Trapezoidal — colour black				-
	TA-880	Tri-amped, LMF 2x10", HMF 1x10", HF 2x50mm 1000W pgm LMF, 400W pgm HMF, 200W pgm HMF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V NL8, Optional Flyware, Optional Wheelboard 1025mmH x 477mmW x 463mmD, 59kg	15F0140	7.284,56 - - -
	TA-880HM	Bi-amped, 1x10" 400W pgm HMF, 2x50mm 200W pgm HF Max SPL 146dB Peak, 405Hz-20kHz, 25°Hx15°V NL8, Optional Flyware 477mmH x 477mmW x 463mmD, 28kg	15F0144	4.860,57 - -
	TA-880L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz NL4, Optional wheel kit 795mmH x 477mmW x 574mmD, 50kg	15F0150	4.552,26 - -
Aspect series Trapezoidal Hardware				-
	FB-880/2W	2-Wide Trap flybar - 3-deep max	07B945	2.568,71
	FB-880/3W	3-Wide Trap flybar - 3-deep max	07B950	3.427,57
	CB-8002	2 leg chain bridle for FB-880/3W	07B982	386,96
	CB-8003	2 leg chain bridle for FB-880/2W	07B984	386,96
	FC-880	Choked flying chain	07E058	319,32
	FC-880S	Short flying chain	07E060	215,50
	SW-880H	Flying Sword for TA-880H	07E006	78,65
	SW-880HM	Flying Sword for TA-880HM	07E006HM	73,93
	SW-880LM	Flying Sword for TA-880LM	07E006LM	73,93
	SL-880	Linch pin for swords	07E007	26,74
	SC-880	Spacer Collar for swords	07E062	36,18
	TS-880/890	Double Action Tilt Strap for TA-880/890 Array	07E056	95,95
	BSC-01	Biscuit to connect rear of cabinets in array	07A588	11,01
Electronics				-
	LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	16F890	1.802,66
	LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	16F891	2.318,60
	BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	16F0005	386,96
	BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	16F0010	234,38
	BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	16F0015	163,59
	T-25	Turbosound 2x1250W into 4 ohm switchmode power amplifier	16F921	3.326,90
	T-475	Turbosound 4x750W into 4 or 8 ohm switchmode power amplifier	16F925	4.085,08

		<u>Stock code</u>	<u>Belgian tax</u> <u>included</u>
	T-45 Turbosound 2x2250W into 4 or 8 ohm switchmode power amplifier	16F923	4.627,77
	T-90 Turbosound 2x4500W into 4 ohm switchmode power amplifier	16F960	6.016,73
	RACK-DP50 4 x 1250w @ 2Ω or 2 x 2250w @ 4Ω with 96kHz DSP and TurboDrive	16F600	4.247,10
<hr/>			
Bourgonje			-
Oder 15			-
2491 DD Den Haag			-
0031(0)70-3177179			-